

1 다음 중 계산 순서를 바르게 나타낸 것을 모두 골라라. ( )

①  $3\frac{1}{2} + 0.6 \times 2\frac{3}{5}$       ②  $(1.6 - \frac{2}{5}) \div 2\frac{1}{4}$       ③  $5.6 \div 1\frac{1}{2} \times 0.9$

④  $4\frac{5}{8} + 0.2 \times 1\frac{3}{4} \div 2\frac{3}{5}$       ⑤  $2\frac{4}{5} + 0.7 \times (4\frac{2}{3} - 3\frac{2}{5}) \div 4$

2 다음 식에서 가장 나중에 계산해야 하는 부분은 어느 곳인가? ( )

$$3\frac{1}{2} - 2.5 \div 3\frac{3}{4} \times \left\{ \left( \frac{3}{5} + 1.4 \right) \times 0.6 \right\}$$

①      ②      ③      ④      ⑤

3 다음 중 계산한 값이  $2\frac{7}{8}$ 인 것은 어느 것인가?

①  $0.75 \div \frac{3}{10} - \frac{3}{5} \times 2.5$       ②  $\left( 1.2 + \frac{2}{5} \right) \times \frac{3}{4} \div \frac{3}{5}$   
 ③  $3\frac{1}{2} - 1.6 \times \frac{1}{4} \div 0.8$       ④  $\frac{5}{6} \times \left( 1\frac{1}{2} \div 0.4 \right) - 0.25$   
 ⑤  $3.6 \times \frac{5}{8} \div \left( 5.4 - 4\frac{1}{2} \right)$

4 다음을 계산하여라.

(1)  $2\frac{3}{4} \div 0.5 \times 2.5$       (2)  $4.8 \times 0.4 \div 2\frac{2}{7}$

5  안에 알맞은 수를 써 넣어라.

(1)  $4.8 - \frac{5}{6} \div 3.5 \times 4\frac{1}{2} = \frac{\square}{10} - \frac{5}{6} \times \frac{10}{\square} \times \frac{\square}{2}$   
 $= \frac{\square}{10} - \frac{\square}{\square} = \square$

(2)  $1\frac{3}{5} + 3.2 \div 2\frac{2}{3} - \frac{1}{7} = 1\frac{3}{5} + \frac{\square}{10} \times \frac{3}{\square} - \frac{1}{7}$   
 $= 1\frac{3}{5} + \square \frac{\square}{5} - \frac{1}{7} = \square \frac{\square}{5} - \frac{1}{7} = \square$

6 다음을 계산하여라.

$$2\frac{1}{2} \times (3.8 - 1.2) \div \frac{3}{5}$$

7 다음 식에서 가장 먼저 계산해야 하는 식을 써라.

$$2.1 \div \frac{3}{7} - 5\frac{3}{5} \div 10 + 3.5$$



14 다음을 계산하여라.

$$(1) \left(\frac{3}{4} - \frac{2}{5}\right) \times 2\frac{1}{8} \div 0.5$$

$$(2) 4 - 1\frac{1}{10} - 1.21 + \frac{1}{10} \times 2.5$$

15 계산 순서를 바르게 나타내어라.

$$1\frac{2}{5} + 0.4 \times 1\frac{1}{2} \div 0.2$$

16  안에 알맞은 수를 써 넣어라.

$$\left(0.6 - \frac{1}{2}\right) \div 0.75 \times 7\frac{1}{2} + 1.5 = \frac{\square}{10} \div \frac{3}{4} \times \frac{15}{2} + 1.5$$

$$= \frac{\square}{10} \times \frac{\square}{3} \times \frac{15}{2} + 1.5 = \square + 1.5 = \square$$

17  안에 알맞은 수를 써 넣어라.

$$6\frac{1}{8} \times 0.32 + 4.5 \div 4\frac{1}{2} - 0.4$$

$$= \frac{49}{8} \times \frac{32}{\square} + \frac{\square}{10} \div \frac{\square}{2} - \frac{4}{\square}$$

$$= \frac{\square}{25} + \frac{\square}{10} \times \frac{2}{\square} - \frac{4}{\square}$$

$$= \frac{\square}{25} + \square - \frac{\square}{5} = \square$$

18 다음을 계산하여라.

$$(1) \left(1\frac{4}{5} - 0.7\right) \div \frac{1}{5}$$

$$(2) 4\frac{3}{4} \div 2.7 \times \frac{2}{5}$$

19  안에 알맞은 수를 써 넣어라.

$$(1) 1.4 \div \left(3\frac{1}{2} - 0.4\right) \times 9.3 + 3\frac{4}{5}$$

$$= \frac{\square}{10} \div \frac{\square}{10} \times \frac{\square}{10} + \frac{\square}{5} = \frac{\square}{10} \times \frac{10}{\square}$$

$$\times \frac{\square}{10} + \frac{\square}{5} = \frac{\square}{5} + \frac{\square}{5} = \square$$

$$(2) \left(\frac{4}{5} - \frac{3}{4} \times 0.8 + 0.57\right) \div \frac{7}{8} = \left(\frac{4}{5} - \frac{\square}{5} + \frac{\square}{100}\right) \times \frac{\square}{7}$$

$$= \frac{\square}{100} \times \frac{\square}{7} = \frac{\square}{\square}$$

20  안에 알맞은 수를 써 넣어라.

$$4\frac{1}{2} \div 8.1 + 0.03 \times 4\frac{1}{6} = \frac{\square}{2} \div \frac{\square}{10} + \frac{\square}{100} \times \frac{\square}{6}$$

$$= \frac{\square}{2} \times \frac{10}{\square} + \frac{1}{\square} = \frac{\square}{9} + \frac{1}{\square} = \frac{\square}{\square}$$

21  안에 알맞은 수를 써 넣어라.

$$\left(1.5 + \frac{3}{4}\right) \times 4 = 1\frac{4}{5} - 3.75 = \left(\frac{\square}{\square} + \frac{3}{4}\right) \times 4 + 1\frac{4}{5} - 3.75$$

$$= \frac{\square}{\square} \times 4 + 1\frac{4}{5} - 3.75 = \square \div \frac{9}{5} - 3.75$$

$$= \square \times \frac{\square}{\square} - 3.75 = \square$$

22  안에 알맞은 수를 써 넣어라.

$$2\frac{2}{3} \div 1.6 \times 3 = \frac{\square}{3} \div \frac{\square}{10} \times 3 = \frac{\square}{3} \times \frac{10}{\square} \times 3 = \square$$

23 계산 순서에 맞도록  안에 기호를 써 넣어라.

$$4\frac{4}{5} \div 0.75 + (4.2 - 2\frac{1}{5}) \times 7\frac{4}{5}$$

       

24 소수나 분수를 각각 편리한 형태로 고쳐서 계산하려고 한다.  안에 알맞은 수를 써 넣어라.

$$6 \times \left(\frac{3}{10} + \frac{1}{5}\right) \div 1.2 = \frac{3}{5} = 6 \times \square \div 1.2 - \frac{3}{5} = \square \div 1.2 - 0.6$$

$$= \square - 0.6 = \square$$

25 다음 계산을 하여 분수로 나타내어라.

(1)  $10.5 \div \frac{5}{14} \times 1\frac{3}{5}$

(2)  $2.5 \div \left(2\frac{1}{4} + 2\frac{2}{3}\right)$

26 다음을 계산하여라.

(1)  $1.8 \times \left(\frac{5}{6} - \frac{5}{9}\right)$

(2)  $1.8 \times \frac{5}{6} - \frac{5}{9}$

27  $2\frac{1}{4} \times 2.4 \div 0.8$ 을 계산하려고 한다.  안에 알맞은 수를 써 넣어라.

(1) 분수를 소수로 고쳐서 계산하여라.

$$2\frac{1}{4} \times 2.4 \div 0.8 = \boxed{\phantom{00}} \times 2.4 \div 0.8 = \boxed{\phantom{00}} \div 0.8 = \boxed{\phantom{00}}$$

(2) 소수를 분수로 고쳐서 계산하여라.

$$2\frac{1}{4} \times 2.4 \div 0.8 = \frac{\boxed{\phantom{00}}}{4} \times \frac{\boxed{\phantom{00}}}{10} \div \frac{\boxed{\phantom{00}}}{10} = \frac{\boxed{\phantom{00}}}{4} \times \frac{\boxed{\phantom{00}}}{10} \times \frac{10}{\boxed{\phantom{00}}} = \frac{\boxed{\phantom{00}}}{4} = \boxed{\phantom{00}}$$

28 다음 계산을 하여라.

(1)  $1\frac{3}{5} \div 0.4 \times 2\frac{1}{2}$       (2)  $2\frac{1}{7} \times 0.7 - 1.5 \div 3\frac{1}{3}$

29 다음을 계산하여라.

$$2.5 \div \frac{5}{6} \times 0.8$$

30  안에 알맞은 수를 써 넣어라.

$$5\frac{1}{4} \div (2\frac{2}{5} + 0.4) \times 4.8 - 5\frac{5}{6} = \frac{\boxed{\phantom{00}}}{4} \div (\frac{\boxed{\phantom{00}}}{10} + \frac{\boxed{\phantom{00}}}{10}) \times \frac{\boxed{\phantom{00}}}{10} - 5\frac{5}{6}$$

$$= \frac{\boxed{\phantom{00}}}{4} \div \frac{\boxed{\phantom{00}}}{10} \times \frac{\boxed{\phantom{00}}}{10} - 5\frac{5}{6}$$

$$= \frac{\boxed{\phantom{00}}}{4} \times \frac{10}{\boxed{\phantom{00}}} \times \frac{\boxed{\phantom{00}}}{10} - 5\frac{5}{6}$$

$$= \frac{\boxed{\phantom{00}}}{\boxed{\phantom{00}}} \times \frac{\boxed{\phantom{00}}}{10} - 5\frac{5}{6} = \boxed{\phantom{00}} - 5\frac{5}{6} = \boxed{\phantom{00}}$$

31 다음 계산을 하여라.

(1)  $1.5 \times (1\frac{2}{3} - 0.8) \div 2\frac{4}{5}$

(2)  $2\frac{2}{5} \div (1.2 + 1\frac{1}{2}) \times 1.5$

32  $5.4 \div 1\frac{4}{5} \times 0.8$ 의 계산을 알아보려고 한다.  안에 알맞은 수를 써 넣어라.

(1)  $5.4 \div 1\frac{4}{5} \times 0.8 = 5.4 \div \boxed{\phantom{00}} \times 0.8 = \boxed{\phantom{00}} \times 0.8 = \boxed{\phantom{00}}$

$$= \boxed{\phantom{00}}$$

(2)  $5.4 \div 1\frac{4}{5} \times 0.8 = \frac{\boxed{\phantom{00}}}{10} \div \frac{\boxed{\phantom{00}}}{5} \times \frac{\boxed{\phantom{00}}}{5} = \frac{\boxed{\phantom{00}}}{10} \times \frac{5}{\boxed{\phantom{00}}} \times \frac{\boxed{\phantom{00}}}{5} = \boxed{\phantom{00}} \times \frac{\boxed{\phantom{00}}}{5} = \boxed{\phantom{00}}$

33 다음을 계산하여라.

$$(1) \left(\frac{4}{5} - 0.7\right) \div \frac{1}{5}$$

$$(2) 6\frac{3}{4} \div 2.7$$

34  안에 알맞은 수를 써 넣어라.

$$\frac{4}{5} - 0.1 \times \frac{4}{5} = \frac{4}{5} - \frac{\square}{10} \times \frac{4}{5} = \frac{4}{5} - \square = \square$$

35 다음을 계산하여라.

$$0.7 \times 2\frac{2}{3} - 1\frac{3}{5} \div 0.9$$

36 다음을 계산하여라.

$$(1) 1\frac{3}{5} \div 0.4 + 0.75 \times \frac{1}{6}$$

$$(2) \frac{5}{6} \times 0.9 + 7 \div 1\frac{3}{4}$$

$$(3) \left(\frac{3}{5} - 0.1\right) \times 4\frac{2}{3}$$

37 계산 순서를 표시하여 계산하여라.

$$(1) 2.25 \times 4\frac{4}{5} \div \left(5.3 - 2\frac{1}{2}\right) + 7$$

$$(2) \frac{2}{5} \times \left[ \left\{ \left(4.3 - 4\frac{1}{12}\right) \div 0.4 \right\} + 3\frac{1}{8} \right]$$

38 다음을 계산하여라.

$$(1) \frac{1}{3} \times 0.25 \div 0.6$$

$$(2) 1.4 \div \left(1\frac{7}{10} - 1\frac{1}{5}\right)$$

39  안에 알맞은 수를 써 넣어라.

$$2.8 \times 1\frac{3}{4} \div \left(7.6 - 6\frac{1}{5}\right) + 1.7$$

$$= \frac{\square}{10} \times \frac{7}{4} \div \left(7\frac{\square}{10} - 6\frac{1}{5}\right) + 1.7 = \frac{\square}{10} \div \frac{\square}{10} + 1.7$$

$$= \frac{\square}{10} \times \frac{10}{\square} + 1.7 = \frac{\square}{2} + 1.7 = \square + 1.7 = \square$$

40 식의 계산 순서를 □ 안에 써 넣어라.

$$1.75 + 2\frac{1}{8} \div 3.6 \times \left(\frac{1}{8} + 4\frac{3}{5}\right) \div \frac{9}{10}$$

□            □            □            □            □

41 계산을 하여라.

$$2\frac{2}{5} \times \left(1.5 - \frac{4}{5}\right) \div 7 + 2.4$$

$$= \square \times \left(1.5 - \square\right) \div 7 + 2.4$$

$$= \square \times \square \div 7 + 2.4$$

$$= \square \div \square + 2.4 = \square$$

42 계산을 하고 답을 비교하여라.

(1)  $\left(\frac{5}{9} - \frac{1}{3}\right) \times 0.5 = \square \times \frac{\square}{10} = \square$

(2)  $\frac{5}{9} - \frac{1}{3} \times 0.5 = \square - \square \times \frac{\square}{10} = \square - \square = \square$

43 계산을 하여라.

$$2\frac{4}{5} \times 3\frac{1}{3} \div 0.75$$

44 □ 안에 알맞은 수를 써 넣어라.

$$1.2 \times \left(2\frac{3}{4} + 1.5\right) = 1.2 \times \left(\frac{\square}{4} + \frac{\square}{10}\right) = 1.2 \times \frac{\square}{4}$$

$$= \frac{\square}{10} \times \frac{\square}{4} = \square$$

45 계산을 하여라.

(1)  $\left(1\frac{3}{4} - \frac{2}{5}\right) \times 2.5$                       (2)  $1\frac{3}{4} - \frac{2}{5} \times 2.5$

46 □ 안에 알맞은 수를 써 넣어라.

$$6\frac{4}{5} - \frac{1}{5} \div 0.2 \times \left(3\frac{2}{5} + 1.6\right)$$

$$= \frac{\square}{5} - \frac{1}{5} \times \frac{\square}{\square} \times \left(\frac{\square}{5} + \frac{\square}{5}\right) = \frac{\square}{5} - \frac{\square}{5}$$

$$= \square$$





53  안에 알맞은 수를 써 넣어라.

$$(1) 5\frac{1}{3} + 2.5 \times 1\frac{3}{5} \div 0.2 = 5\frac{1}{3} + \frac{\square}{10} \times \frac{\square}{5} \div \frac{\square}{10}$$

$$= 5\frac{1}{3} + \square \times \frac{10}{\square} = 5\frac{1}{3} + \square$$

$$= \square$$

$$(2) 0.35 \div \frac{7}{10} + \frac{2}{3} \times 0.6 = \frac{\square}{100} \times \frac{\square}{7} + \frac{2}{3} \times \frac{\square}{10}$$

$$= \frac{\square}{2} + \frac{\square}{5} = \frac{\square}{\square}$$

54  안에 알맞은 수를 써 넣어라.

$$3.6 \div 1\frac{1}{4} \times 2.5 = \frac{\square}{10} \div \frac{\square}{4} \times \frac{\square}{10}$$

$$= \frac{\square}{10} \times \frac{4}{\square} \times \frac{\square}{10} = \frac{\square}{5} = \square$$

55  안에 알맞은 수를 써 넣어라.

$$(1) 1\frac{3}{5} \times 1.5 - \frac{3}{5} \div 0.5 + \frac{7}{10} = \frac{\square}{5} \times \frac{\square}{10} - \frac{6}{10} \div \frac{\square}{10} + \frac{7}{10}$$

$$= \frac{\square}{5} - \frac{6}{10} \times \frac{10}{\square} + \frac{7}{10}$$

$$= \frac{\square}{5} - \frac{6}{\square} + \frac{7}{10}$$

$$= \frac{\square}{5} + \frac{7}{10} = \square$$

$$(2) 3.9 + 15\frac{3}{4} \div 2\frac{5}{8} \times 0.25 - 2$$

$$= 3.9 + \frac{\square}{4} \div \frac{\square}{8} \times \frac{\square}{100} - 2$$

$$= 3.9 + \frac{\square}{4} \times \frac{8}{\square} \times \frac{\square}{100} - 2 = 3.9 + \frac{\square}{2} - 2$$

$$= 3.9 + \square - 2 = \square - 2 = \square$$

56  안에 알맞은 수를 써 넣어라.

$$2.3 + \left( 2.75 - \frac{3}{4} \right) + 4.8 \div 1\frac{3}{5} = 2.3 + \square + \square = \square$$

57 다음 식에 계산 순서를 표시하고 계산하여라.

$$(1) 2.5 \times \frac{4}{15} - 1\frac{2}{3} \div 5 + \frac{1}{4} \quad (2) 3.6 \div \frac{3}{5} + 2.5 \times 2\frac{2}{5} - 4\frac{1}{3}$$

$$(3) 0.75 \div 1\frac{7}{8} + 1.5 \times \frac{2}{5} - 0.6$$

58 다음 식에 계산 순서를 표시하고 계산하여라.

$$(1) \frac{1}{3} \times 0.25 \div 0.6$$

$$(2) 2\frac{1}{2} + 0.8 \times 1\frac{3}{4} - 2.4$$

$$(3) 0.7 \times 2\frac{2}{3} - 1\frac{2}{5} \div 0.9$$

59  안에 알맞은 수를 써 넣어라.

$$5.4 \div 1\frac{4}{5} \times 0.8 = \frac{54}{10} \div \frac{\square}{5} \times \frac{\square}{10} = \frac{54}{10} \times \frac{5}{\square} \times \frac{\square}{10} = \square$$

60  안에 알맞은 수를 써 넣어라.

$$\begin{aligned} 6\frac{1}{8} \div 0.98 + 4.5 \div 2\frac{1}{2} - \frac{3}{4} &= \frac{49}{8} \div \frac{\square}{100} + \frac{45}{10} \times \frac{\square}{5} - \frac{3}{4} \\ &= \frac{49}{8} \times \frac{100}{\square} + \frac{45}{10} \times \frac{\square}{5} - \frac{3}{4} = \frac{\square}{4} + \frac{\square}{5} - \frac{3}{4} \\ &= \frac{\square}{20} - \frac{3}{4} = \square \end{aligned}$$

61 왼쪽과 같이 계산 순서를 표시하고 답을 구하여라.

$$4\frac{3}{4} \div \left(3.5 - \frac{1}{2}\right) \times 1\frac{1}{5} \quad 1\frac{3}{4} \times \left(2.6 - 2\frac{2}{5}\right) \div 3.5 + 3\frac{1}{2}$$

62  안에 알맞은 수를 써 넣어라.

$$\begin{aligned} \left(\frac{4}{5} - 0.3\right) \div 0.2 \times 1\frac{1}{2} + 2 &= \left(\frac{\square}{10} - \frac{\square}{10}\right) \div \frac{2}{10} \times \frac{3}{2} + 2 \\ &= \frac{\square}{10} \times \frac{\square}{2} \times \frac{3}{2} + 2 = \frac{\square}{4} + 2 = \square \end{aligned}$$

63  안에 알맞은 수를 써 보아라.

$$\begin{aligned} (1) \frac{1}{2} + \left(1\frac{1}{2} - 0.4\right) \times 3 \div 1\frac{1}{5} &= \frac{1}{2} + \square \times 3 \div \frac{\square}{5} \\ &= \frac{1}{2} + \square \times \frac{5}{\square} = \frac{1}{2} + \frac{\square}{10} \times \frac{5}{\square} = \frac{1}{2} + \frac{\square}{4} \\ &= \square \\ (2) 1\frac{3}{4} \times 2.4 - 1.2 \div \frac{4}{5} &= \left(\frac{\square}{4} \times \frac{\square}{10}\right) - \left(\frac{\square}{10} \times \square\right) \\ &= \frac{\square}{5} - \frac{\square}{2} = \square \frac{\square}{\square} \end{aligned}$$

64 계산을 하여 ㉠, ㉡, ㉢을 각각 구하여라.

$$3\frac{1}{5} \div 0.8 \times (6\frac{1}{5} + 0.8)$$

㉠
㉡  
㉢

65 식의 계산 순서를 □ 안에 써라.

$$3\frac{1}{5} \div 0.75 + (2.9 - 2\frac{1}{5}) \times 4\frac{1}{5}$$

□   □   □   □

66 다음을 계산하여라.

$$2.1 \times 1\frac{2}{3} - 1\frac{1}{4} \div 10 + 3.5$$

67 □ 안에 알맞은 수를 써 넣어라.

$$(1) 3.6 \div 1\frac{1}{4} \times 2.5 = \frac{\square}{10} \div \frac{\square}{4} \times \frac{\square}{10}$$

$$= \frac{\square}{10} \times \frac{4}{\square} \times \frac{\square}{10} = \square$$

$$(2) 5.6 \div \left(\frac{1}{2} + \frac{1}{5}\right) = \frac{\square}{10} \div \left(\frac{\square}{10} + \frac{\square}{10}\right)$$

$$= \frac{\square}{10} \times \frac{\square}{\square} = \square$$

68 □ 안에 알맞은 수를 써 넣어라.

$$2\frac{2}{3} \div 1.6 \times 3 = \frac{\square}{3} \div \frac{\square}{10} \times 3 = \frac{\square}{3} \times \frac{10}{\square} \times 3 = \square$$

69 식의 계산 순서를 □ 안에 알맞게 써 넣어라.

$$6 - \frac{2}{7} \div 5.6 \times \left(1\frac{1}{2} + 2\frac{3}{10}\right)$$

□   □   □   □

70 소수를 분수로 고쳐서 계산하여라.

$$1.8 \times 1\frac{1}{9} - 2\frac{2}{3} \div 1.6$$

71 소수를 분수로 고쳐서 계산하여라.

$$(1) 3\frac{1}{5} \div 0.7$$

$$(2) 2\frac{3}{8} \div 0.6$$

72 다음을 계산하여라.

$$(1) \left(1\frac{1}{3} - 0.5\right) \times 3\frac{1}{2} \div 2.1$$

$$(2) \frac{4}{5} + 1.56 \div 5\frac{1}{5} - 0.6$$

73 다음을 계산하여라.

$$(1) \left(2\frac{3}{4} - 0.25\right) \times \frac{2}{5} \div 0.2 \quad (2) 8.2 - 1.6 \div \frac{4}{5} \times 2\frac{1}{4} + \frac{1}{2}$$

$$(3) \frac{4}{5} \times 0.6 \div \left(3.6 - 2\frac{3}{5}\right) + 0.34$$

74 소수를 분수로 고쳐서 계산하여라.

$$5.4 \times \left(1\frac{1}{2} + 0.7\right) \div 2\frac{2}{5}$$

75 계산을 하여라.

$$2\frac{1}{3} \div \frac{7}{9} + 2.4 \times \frac{5}{8} - \left(2\frac{3}{5} + 0.4\right)$$

76 다음을 계산하여라.

$$5\frac{3}{5} + 0.4 \div \frac{1}{5} \times \left(4.4 + 1\frac{3}{5}\right)$$

77 다음을 계산하여라.

$$(1) 0.75 \div \frac{3}{5} + 1.5 \times \frac{3}{5} - 0.9$$

$$(2) 2\frac{2}{3} \div \frac{7}{10} \times \left(0.8 + 1\frac{3}{10}\right) - 2.4$$

$$(3) \frac{7}{9} \div 2\frac{1}{3} + 1.2 \times \frac{2}{3} - \left(3.2 - 2\frac{1}{5}\right)$$

78 다음 계산을 하여라.

$$(1) 5 - 2\frac{2}{3} \times 1.2 + 0.6 \div \frac{4}{5}$$

$$(2) \frac{3}{4} \times 1.2 + 0.9 \div 2\frac{2}{5} \times 3.6$$

79 다음을 계산하여라.

$$(1) \frac{3}{5} + 1.5 \times \frac{2}{3} - 0.7$$

$$(2) 6\frac{4}{5} - \frac{3}{4} \div 0.25 \times \left(2\frac{1}{5} - 1.4\right)$$

80 다음을 계산하여라.

$$(1) \frac{5}{6} \div 0.5 + 1\frac{2}{9} \times 1.5 - \frac{2}{3}$$

$$(2) 7.5 \div 3\frac{1}{3} - \frac{3}{8} \times \frac{1}{3}$$

$$(3) 1\frac{1}{4} \times \frac{2}{5} \div \frac{1}{3} + \frac{1}{2} - 2$$

81 다음을 계산하여라.

$$1\frac{2}{5} \times \left( 3.2 - 2\frac{1}{4} \right) + 9 \div \left( 0.4 + 2\frac{3}{5} \right)$$

82 다음을 계산하여라.

$$2\frac{4}{5} \div \left( \frac{10}{3} \times \frac{1}{2} - \frac{1}{6} \right) - 1.8$$

83 다음 등식이 성립하도록 적당한 부분에 ( ) 표시를 하여라.

$$4\frac{2}{5} - 2.4 \times \frac{1}{3} \div \frac{1}{5} + 2\frac{1}{3} = 5\frac{2}{3}$$

84 다음과 같이 계산 순서를 나타내고, 답을 구하여라.

$$3.2 + \left( 0.5 + \frac{2}{5} \right) \times 0.4 \div 3 = 3.32$$

$$(1) 1\frac{4}{5} \div 0.3 + 4 \times 1\frac{1}{2} - 0.5$$

$$(2) 6 \times \left( 0.8 - \frac{3}{5} \right) + 2\frac{2}{5} \times 0.4$$

85 다음을 계산하여라.

$$1.7 + 1\frac{3}{5} \div 1\frac{2}{3} \times \frac{5}{6} - 0.7$$

86 다음을 계산하여라.

$$\left\{ \left( \frac{1}{5} + 0.25 \right) \div \frac{3}{8} + 0.6 \right\} \times \frac{5}{6}$$

87 다음을 계산하여라.

$$(1) 12\frac{3}{4} - 4 \div \frac{4}{5} + 1\frac{1}{2} \times 8$$

$$(2) \frac{7}{9} \div 2\frac{1}{3} + 1.2 \times \frac{2}{3} - \left( 7.5 - 6\frac{1}{2} \right)$$

88 다음을 계산하여라.

$$(1) 0.75 \div 1\frac{7}{8} + 1.5 \times \frac{2}{5} - 0.6$$

$$(2) \frac{7}{9} \div 2\frac{1}{3} + 1.2 \div \left( 8.3 - 7\frac{1}{2} \right)$$

89 다음을 계산하여라.

$$8\frac{1}{2} + 2\frac{1}{6} \times 2.5 \div 4\frac{1}{3} - 1$$

90 다음을 계산하여라.

$$\left( 5.4 + 3.15 \times \frac{3}{5} \right) - \frac{1}{5} \times \left( 2.6 - 1\frac{1}{2} \right)$$

91 다음을 계산하여라.

$$\left( \frac{4}{5} + 0.2 \right) \times 3\frac{7}{10} + 1.2 \div 0.25$$

92 다음을 계산하여라.

$$0.3 \div \left( \frac{1}{2} + \frac{3}{4} \right) \times 4 - \frac{3}{5}$$

93  안에 알맞은 수를 써 넣어라.

$$1\frac{1}{5} \times \left( 2\frac{1}{4} \div 0.3 \right) - 4.2$$

$$= \frac{\square}{5} \times \left( \frac{\square}{4} \div \frac{\square}{10} \right) - \frac{\square}{10}$$

$$= \frac{\square}{5} \times \left( \frac{\square}{4} \times \frac{10}{\square} \right) - \frac{\square}{10}$$

$$= \frac{\square}{5} \times \frac{\square}{2} - \frac{\square}{10} = \square - \frac{\square}{10} = \square$$

94  안에 알맞은 수를 써 넣어라.

$$4 - 2.5 \div 1\frac{1}{4} \times \frac{1}{2} + \frac{3}{5} = 4 - \frac{\square}{10} \times \frac{4}{\square} \times \frac{\square}{2} + \frac{3}{5}$$

$$= 4 - \square + \frac{3}{5} = \square + \frac{3}{5} = \square$$

95 다음을 계산하여라.

$$3\frac{3}{4} \div 0.6 \times \left( 1\frac{1}{2} - 1.1 \right) + 0.5$$

96 다음을 계산하여라.

$$\left(4.4 - 3.2 \times \frac{3}{8}\right) - 6 \times \left(1\frac{3}{4} - 1.3\right)$$

97  안에 알맞은 수를 써 넣어라.

$$(1) 1\frac{2}{5} + 0.6 \div \frac{1}{5} = 1\frac{2}{5} + \boxed{\phantom{00}} = \boxed{\phantom{00}}$$

$$(2) \left(1\frac{2}{5} + 0.6\right) \div \frac{1}{5} = \boxed{\phantom{00}} \div \frac{1}{5} = \boxed{\phantom{00}}$$

98 다음을 계산하여라.

$$(1) \frac{1}{2} + 2.4 \div \frac{3}{5} \times 1\frac{1}{4} - \frac{2}{5}$$

$$(2) 4\frac{1}{4} - \left(\frac{4}{5} + 0.3\right) \times \frac{5}{11} \div 0.2$$

99 다음을 계산하여라.

$$2\frac{1}{4} + \left(1\frac{1}{2} - 0.6\right) \times 2.4 \div \frac{2}{5}$$

100 다음 계산을 하여라.

$$\begin{aligned} \frac{5}{6} \div (0.5 + 3) \times 1.5 - \frac{1}{7} &= \frac{5}{6} \div \boxed{\phantom{00}} \times 1.5 - \frac{1}{7} \\ &= \frac{5}{6} \div \frac{\boxed{\phantom{00}}}{10} \times \frac{3}{\boxed{\phantom{00}}} - \frac{1}{7} = \frac{5}{6} \times \frac{\boxed{\phantom{00}}}{\boxed{\phantom{00}}} \times \frac{3}{\boxed{\phantom{00}}} - \frac{1}{7} \\ &= \boxed{\phantom{00}} - \frac{1}{7} = \boxed{\phantom{00}} \end{aligned}$$